ELSEVIER

Journal of Affective Disorders 55 (1999) 255–256

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Contents (Vol. 55)

No. 1 – September 1999

Research Reports

Depression in a primary care clinic: the prevalence and impact of an unrecognized disorder
J.R. McQuaid, M.B. Stein, C. Laffaye, M.E. McCahill (USA) 1

Fluoxetine efficacy in menopausal women with and without estrogen replacement
J. Amsterdam, F. Garcia-España, J. Fawcett, F. Quitkin, F. Reimherr, J. Rosenbaum, C. Beasley (USA) 11

Depressive personality in the relatives of outpatients with dysthymic disorder and episodic major depressive disorder and normal controls
D.N. Klein (USA) 19

Autoantibody disturbances in affective disorders: a function of age and gender?
M. Hornig, J.D. Amsterdam, M. Kamoun, D.B.P. Goodman (USA) 29

Brief Reports

Retardation in depression: assessment by means of simple motor tasks
B. Sabbe, W. Hulstijn, J. van Hoof, H.G. Tuynman-Qua, F. Zitman (The Netherlands) 39

Dysfunctional attitudes and poor problem solving skills predict hopelessness in major depression
B. Cannon, R. Mulroy, M.W. Otto, J.F. Rosenbaum, M. Fava, A.A. Nierenberg (USA) 45

Five-factor personality traits in patients with seasonal depression: treatment effects and comparisons with bipolar patients
U. Jain, M.A. Blais, M.W. Otto, D.R. Hirshfeld, G.S. Sachs (USA) 51

Outcome for adjustment disorder with depressed mood: comparison with other mood disorders
R. Jones, W.R. Yates, S. Williams, M. Zhou, L. Hardman (USA) 55

Bipolar versus unipolar psychotic outpatient depression
F. Benazzi (Italy) 63

Outcome of different types of long-term antidepressant treatments: a 3-year follow-up study of 14182 patients
P. Räsänen, H. Hakko, J. Jokelainen, J. Tiihonen (Finland) 67

Preliminary Communication

Gabapentin as an adjunctive treatment in bipolar disorder
L. Trevor Young, J.C. Robb, G.M. Hasey, G.M. MacQueen, I. Patelis Siotis, M. Marriott, R.T. Joffe (Canada) 73

Special Article

Short-term and long-term treatment for bipolar patients: beyond the guidelines
J. Mendlewicz, D. Souery, S.K. Rivelli (Belgium) 79

Nos. 2,3 – October 1999

Editorial 87

Psychomotor agitation: poorly defined and badly measured
R.K. Day (UK) 89

Research Reports

Seasonality of manic depressive illness in Canada
D.K. Whitney, V. Sharma, K. Kueneman (Canada) 99

Effects of mood and age on quality of life in depressed inpatients
W.V. McCall, W. Cohen, B. Reboussin, P. Lawton (USA) 107
Single photon emission tomography with 99m Tc-HMPAO in Arab patients with depression
M.T. Abou-Saleh, A.R. Al Suhaili, L. Karim, V. Prais, E. Hamdi (United Arab Emirates) 115
Depression and smoking in a smoking cessation programme
F.L. Vázquez, E. Becoña (Spain) 125
Predictors of lithium prophylaxis in bipolar patients
O. Yazıcı, K. Kora, A. Üçok, D. Tunalı, N. Turan (Turkey) 133
The role of depression in pain, psychophysiological syndromes and medically unexplained symptoms associated with chronic fatigue syndrome
R.K. Morriss, M. Ahmed, A.J. Wearden, R. Mullis, P. Strickland, L. Appleby, I.T. Campbell, D. Pearson (UK) 143
Age of onset in chronic major depression: relation to demographic and clinical variables, family history, and treatment response
D.N. Klein, A.F. Schatzberg, J.P. McCullough, F. Dowling, D. Goodman, R.H. Howland, J.C. Markowitz, C. Smith, M.E. Thase, A.J. Rush, L. LaVange, W.M. Harrison, M. Keller (USA) 149
Perceived social support among depressed elderly, middle-aged, and young-adult samples: cross-sectional and longitudinal analyses
T.R. Lynch, T. Mendelson, C.J. Robins, K.R.R. Krishnan, L.K. George, C.S. Johnson, D.G. Blazer (USA) 159
Lifetime suicide risk in major depression: sex and age determinants
G.W. Blair-West, C.H. Cantor, G.W. Mellsop, M.L. Eyeson-Annan (Australia, New Zealand) 171
A means of measuring facial expressions and a method for predicting emotion categories in clinical disorders of affect
P.J. Benson (UK) 179
Criminal activities and substance use of patients with major affective disorders and schizophrenia: a 2-year follow-up
S. Hodgins, M. Lapalme, J. Toupin (Canada, Sweden) 187
Reboxetine versus imipramine in the treatment of elderly patients with depressive disorders: a double-blind randomised trial
C. Katona, E. Bercoff, E. Chiu, P. Tack, M. Versiani, H. Woelk (UK, France, Australia, Belgium, Brazil, Germany) 203

Brief Reports

Predictors of persistent social impairment among recovered depressed outpatients
V. Agosti (USA) 215
Clinical characteristics of bipolar disorder subjects with large CAG/CTG repeat DNA
S.V. Parikh, J.B. Vincent, J.L. Kennedy (Canada) 221
Rumination and distraction in major depression: assessing response to pharmacological treatment
R.M. Bagby, N.A. Rector, Z.V. Segal, R.T. Joffe, A.J. Levitt, S.H. Kennedy, R.D. Levitan (Canada) 225
The effect of treatment with a new antidepressant, INN 00835, on platelet serotonin uptake in depressed patients
J.P. Kelly, G. Nicolau, A. Redmond, B.E. Leonard, J. Noble, L. Sverdlov, R. Molinar, A.J. Kastin, R.H. Ehrensing, J.P. Feighner (Ireland, USA) 231

Preliminary Communications

Open maintenance treatment of bipolar disorder spectrum patients who responded to gabapentin augmentation in the acute phase of treatment
C.B. Schaffer, L.C. Schaffer (USA) 237
A preliminary communication of an insight scale in the assessment of lithium non-adherence among Chinese patients in Hong Kong
S.S.L. Wong, S. Lee, K.H.Y. Wat (Hong Kong, USA) 241

Erratum 245
Author Index 247
Subject Index 251
Contents (Vol. 55) 255